KONICA MINOLTA

bizhub PRO 1100

- B/W SRA3+ digital press
- Up to 6,000 pages per hour

The bizhub PRO 1100 is an affordable but powerful production system with a speed of 100 A4 pages per minute dedicated to central in-house printing facilities and external print-for-pay services. In this device, a sturdy construction, high performance and numerous inline finishing options team up with advanced technology for enhanced black & white print quality. Be more productive with high-performance colour scanning capability with dual scanning ADF in combination with the powerful print engine.



bizhub PRO 1100

B/W PRODUCTION PRINTING SYSTEM

Giving Shape to Ideas


YOUR ADVANTAGES WITH
bizhub PRO 1100

HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Scan Measurement Adjustment (SMA) Technology
- Belt transfer system
- For prints with maximum efficiency
- For lucrative short-run printing

DURABLE PERFORMANCE

- Up to 100 A4 pages per minute
- Up to 52 SRA3 pages per minute
- Up to 6,000 A4 pages per hour
- Up to 3,120 SRA3 pages per hour



READY-MADE PRINT PRODUCTS

- 20-sheet booklet making
- 100-sheet stapling with cutting mechanism
- 102-sheet auto ring binding
- For highest automation and enormous productivity
- For more profit in the printroom

GEARED-UP FINISHING

- Letter fold-in
- Stacking of up to 4,200 sheets
- Multi (GBC) punching and 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets

ENVIRONMENTAL AWARENESS

- Green procurement policy
- Reduced CO_2 emissions
- ISO 14001-certified
- For reduced environmental impact
- Improved efficiency based on green values



HIGH-END PRINT CONTROL

- Proprietary Konica Minolta controller
- Integration into Fiery workflows via Fiery Central Solo
- Optional Creo Controller IC-309m
- For intuitive operation
- Saves time and money

EASE OF USE

- Simple paper catalogue settings
- Easy-to-follow on-screen instructions
- For maximum ease of operation
- Frees operators for more important jobs

SOPHISTICATED MEDIA HANDLING

- Optional bypass tray
- Up to 9,000-sheet paper input capacity
- Up to 5 paper input trays
- For enhanced overall productivity
- For extreme cost savings
- Colour dual scan



COMPREHENSIVE MEDIA PROCESSING

- Up to 300 gsm paper weight in simplex & duplex printing
- Mechanical decurling as standard
- For highly flexible print products
- Stands out from the competition
- Multi bypass




PERFECT IMAGE QUALITY

- 1,200 x 1,200 dpi resolution
- Tone Curve Utility
- Simitri® HD toner technology
- Image density control technology
- For new print applications
- For growing your business

Simitri HD
High Definition Polymerised Toner

Recommended configurations



Technical specifications

SYSTEM SPECIFICATIONS

Resolution	1,200 x 1,200 dpi
Paper weight	40–300 gsm (350 gsm optional*)
Duplex unit	Non-stack type; 40–300 gsm
Paper sizes	Standard: Min.: 182 x 139 mm Max.: 324 x 463 mm Optional: Min.: 95 x 139 mm* Max.: 324 x 483 mm**
Maximum image area	314 x 463 mm (up to 483 mm** optional)
Paper input capacity	Standard: 3,000 sheets Max.: 9,000 sheets
Paper output capacity	Max.: 4,200 sheets
Main unit dimensions (W x D x H)	990 x 910 x 1,454 mm
Main unit weight	340 kg

PRODUCTIVITY

A4 - max. per minute	100 ppm
A3 - max. per minute	56 ppm
SRA3 - max. per minute	53 ppm
A4 - Max. per hour	6,000 pph
A3 - Max. per hour	3,300 pph
SRA3 - Max. per hour	3,120 pph

CONTROLLER

Embedded Konica Minolta controller
External Creo Controller IC-309m

SCANNER SPECIFICATIONS

Scan speed A4	Up to 180 opm
Scan resolution	600 x 600 dpi
Scan modes	Scan to HDD; Scan to FTP; Scan to PC; Scan to eMail; Scan to WebDAV; Scan to USB Memory; HDD to FTP/SMB/WebDAV
Scan formats	TIFF; PDF; Encrypted PDF; Compact PDF; XPS; JPEG

COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT	Less than 3.4 sec. (A4 LEF)
Magnification	25–400%, in 0,1% steps
Mutliple copies	1–9,999

ACCESSORIES

Large capacity tray A4	LU-411
Large capacity tray SRA3	LU-412
Air assist paper feed unit	PF-709
Multi (GBC) punching unit	GP-501
Auto ring binding unit	GP-502
Stapling unit	FS-532
Saddle stitch kit for FS-532	SD-510
Punch kit for FS-532	PK-522
Post inserter for FS-532	PI-502
Removable HDD Kit	RH-101 & HD-523
Multi bypass tray	MB-507
Output tray	OT-507

* With PF-709 ** With LU-412

– All specifications refer to A4-size paper of 80 gsm quality.
– The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
– The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
– The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
– Some of the product illustrations contain optional accessories.
– Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
– Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
– All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Adresse de votre point de vente Konica Minolta

SAGA ARTS GRAPHIQUES

Prépresse Impression Façonnage
Emballage Reprographie
UN MONDE DE SOLUTIONS
Photographie Archivage
Mise sous Plis SAV Formation

Direction Générale: 36,Amara,Chéraga-Alger-Algérie
Service Commercial: 00(213) 560 403 800 - 00(213) 560 403 864
Service Aprés vente: 00(213) 560 403 843 - 00(213) 560 403 844
Web: www.saga-arts-graphiques.com
facebook.com/sagakm